

Please check the examination details below before entering your candidate information

Candidate surname

Other names

Centre Number

Candidate Number

--	--	--	--	--

--	--	--	--	--

Pearson Edexcel Level 1/Level 2 GCSE (9–1)

Wednesday 4 June 2025

Morning (Time: 1 hour 30 minutes)

Paper
reference

1MA1/2H

Mathematics

PAPER 2 (Calculator)

Higher Tier



You must have: Ruler graduated in centimetres and millimetres, protractor, pair of compasses, pen, HB or B pencil, eraser, calculator, Formulae Sheet (enclosed). Tracing paper may be used.

Total Marks

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided – *there may be more space than you need.*
- You must **show all your working**.
- Diagrams are **NOT** accurately drawn, unless otherwise indicated.
- **Calculators may be used.**
- If your calculator does not have a π button, take the value of π to be 3.142 unless the question instructs otherwise.

Information

- The total mark for this paper is 80
- The marks for **each** question are shown in brackets – *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P76405A

©2025 Pearson Education Ltd.
Y:1/1/1/1/1/



P 7 6 4 0 5 A 0 1 2 4




Pearson

Answer ALL questions.

Write your answers in the spaces provided.

You must write down all the stages in your working.

- 1 (a) Express 250 as a product of its prime factors.



$$2 \times 5 \times 5 \times 5$$

$$\frac{2 \times 5^3}{(2)}$$

- (b) Find the lowest common multiple (LCM) of 30 and 25

30 60 90 120 150 180 210 240 270...

25 50 75 100 125 150

$$\frac{150}{(2)}$$

(Total for Question 1 is 4 marks)



2 Sid, Tam and Musa share £6900 in the ratio 2:3:5

Work out how much money each person receives.

$$2 + 3 + 5 = 10 \text{ parts total}$$

$$£6900 \div 10 = £690 \text{ per part}$$

$$\begin{aligned} \text{Sid} &= 2 \times 690 \\ &= 1380 \end{aligned}$$

$$\begin{aligned} \text{Tam} &= 3 \times 690 \\ &= 2070 \end{aligned}$$

$$\begin{aligned} \text{Musa} &= 5 \times 690 \\ &= 3450 \end{aligned}$$

Sid £ **1380**

Tam £ **2070**

Musa £ **3450**

(Total for Question 2 is 3 marks)

DO NOT WRITE IN THIS AREA


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



3 Here is a plan of part of Macsen's garden.

There is a circle inside a triangle.
The circle has a diameter of 7 m.



Macsen will cover the shaded area with gravel.

Gravel is sold in bags.

Each bag of gravel covers an area of 12.5 m^2

(a) Work out the number of bags of gravel Macsen will need.

$$\begin{aligned} \text{Area triangle} &= \frac{1}{2}bh \quad b=16 \quad h=14 \\ &= \frac{1}{2} \times 16 \times 14 \\ &= 112 \text{ m}^2 \end{aligned}$$

$$\begin{aligned} \text{Area circle} &= \pi r^2 \quad d=7\text{m} \quad r=3.5\text{m} \\ &= \pi(3.5)^2 \\ &= \frac{49}{4} \pi \text{ m}^2 \end{aligned}$$

$$\begin{aligned} \text{Shaded area} &= 112 - \frac{49}{4} \pi \\ &= 73.51548999 \text{ m}^2 \end{aligned}$$

$$\begin{aligned} \text{Bags} &= 73.515... \div 12.5 \\ &= 5.881239199 \\ &\approx 6 \text{ bags} \end{aligned}$$

..... 6 bags

(4)



Macsen finds that each bag of gravel only covers an area of 11 m^2


(b) How does this affect your answer to part (a)?

Will need more bags of gravel.

(1)

(Total for Question 3 is 5 marks)

4 The point C is shown on a centimetre grid.



→ 2cm or more

A point P is at least 2 cm from the point C .

Nadia is asked to shade the region where point P could be.

Her answer is shown on the grid.

Explain the mistake Nadia has made.

She should have shaded outside the circle

(Total for Question 4 is 1 mark)

5 This year the total weight of potatoes grown on a farm is $\frac{1}{5}$ less than last year.

This year the total weight of potatoes grown is 8000 tonnes.

Work out the total weight of potatoes grown last year.

$$\begin{aligned} 1 - \frac{1}{5} &= \frac{4}{5} \\ \frac{4}{5} &= 8000 \text{ tonnes} \\ \div 4 & \qquad \qquad \qquad \div 4 \\ \frac{1}{5} &= 2000 \text{ tonnes} \\ \times 5 & \qquad \qquad \qquad \times 5 \\ \frac{5}{5} &= 10,000 \text{ tonnes} \end{aligned}$$

.....10,000..... tonnes

(Total for Question 5 is 3 marks)



6 Here are two lists of numbers.

List A 276 400 157 139

List B 530 500 270 x 440 320

mean of list A : mean of list B = 3 : 5

Work out the value of x .

$$\begin{aligned}\text{Mean A} &= \frac{276 + 400 + 157 + 139}{4} \\ &= 243\end{aligned}$$

Mean A : Mean B

$$\begin{array}{c} 3 : 5 \\ \curvearrowright \\ \times \frac{5}{3} \end{array}$$

$$\begin{aligned}\text{Mean B} &= 243 \times \frac{5}{3} \\ &= 405\end{aligned}$$

$$405 = \frac{530 + 500 + 270 + x + 440 + 320}{6}$$

$$405 = \frac{2060 + x}{6}$$

$$2430 = 2060 + x$$

$$x = 370$$


$$x = \underline{370}$$

(Total for Question 6 is 5 marks)



P 7 6 4 0 5 A 0 7 2 4

7 ABC is a right-angled triangle.



Calculate the value of x .

Give your answer correct to 1 decimal place.

$$\begin{array}{c} S^O H \\ C^A H \\ T^O A^V \\ \downarrow \\ \tan \theta = \frac{O}{A} \end{array}$$

$$\begin{aligned} \tan(x) &= \frac{7}{4} \\ x &= \tan^{-1}\left(\frac{7}{4}\right) \\ &= 60.2551187 \\ &\approx 60.3 \end{aligned}$$

$$x = \underline{60.3}$$

(Total for Question 7 is 2 marks)

8 Metal rods are made from steel with density 8 g/cm^3
Each metal rod has a volume of 1500 cm^3

The maximum mass of metal rods that can be put on a trolley is 300 kg .

Work out the greatest number of metal rods that can be put on the trolley.

$$\begin{array}{c} m \\ D \quad v \end{array}$$

$$m = D \times v$$

$$\begin{aligned} m &= 8 \text{ g/cm}^3 \times 1500 \text{ cm}^3 \\ &= 12000 \text{ g} \end{aligned}$$

$$\text{g} \xrightarrow{\div 1000} \text{kg}$$

$$12,000 \div 1000 = 12 \text{ kg per rod}$$

$$\begin{array}{c} \text{Number} \\ \text{of} \\ \text{rods} \end{array} = 300 \text{ kg} \div 12 \text{ kg} = 25 \text{ rods}$$

25

(Total for Question 8 is 3 marks)



9 $3x^{-1}(4x - x^3) = a + bx^n$ for all the values of x that are not zero.

Find the value of a , the value of b and the value of n .

$$3x^{-1} \times 4x^1 = 12x^{-1+1} \quad x^0 = 1$$

$$= 12x^0$$

$$= 12$$

$$3x^{-1} \times -1x^3 = -3x^{-1+3}$$

$$= -3x^2$$

$$12 - 3x^2$$

$$a + bx^n$$

$$a = 12$$

$$b = -3$$

$$n = 2$$

(Total for Question 9 is 2 marks)

10 Solve $\frac{14-x}{3} = 3x$

$$\times 3 \quad \times 3$$

$$14 - x = 9x$$

$$+ x \quad + x$$

$$14 = 10x \quad \div 10$$

$$\div 10$$

$$1.4 = x$$

$$x = 1.4$$

(Total for Question 10 is 2 marks)




11 Freya and Ria each do an exam.

The probability that Freya will pass the exam is 0.8

The probability that Ria will pass the exam is 0.85

(a) Complete the probability tree diagram.



(b) Work out the probability that only one of Freya or Ria will pass the exam.

$$p(F_{\text{pass}} R_{\text{fail}}) = 0.8 \times 0.15$$

$$= 0.12$$

$$p(F_{\text{fail}} R_{\text{pass}}) = 0.2 \times 0.85$$

$$= 0.17$$

$$0.12 + 0.17 = 0.29$$

$$\underline{\quad\quad\quad 0.29 \quad\quad\quad}$$

(3)

(Total for Question 11 is 5 marks)



12 The table gives some information about the ages, in years, of 32 actors.

Lowest age	21
Highest age	80
Lower quartile	31
Upper quartile	42
Median	35

(a) Draw a box plot to represent this information.



(3)

(b) Work out an estimate for the number of these actors with an age between 31 years and 42 years.

$$LQ = 25\% = 31 \text{ years}$$

$$50\% \text{ of } 32 = 16$$

$$UQ = 75\% = 42 \text{ years}$$

$$75\% - 25\% = 50\%$$

16

(1)

Mary says,

“At least one of the actors is 35 years old because the median is 35”

(c) Is Mary correct?

Give a reason for your answer.

No, the mean could be an average of two ages (either side of 35).

(1)

(Total for Question 12 is 5 marks)



P 7 6 4 0 5 A 0 1 1 2 4

13 Show that $(2x + 3)(x - 1)(x + 2)$ can be written in the form

$ax^3 + bx^2 + cx + d$ where a, b, c and d are integers.

$$(2x + 3)(x - 1)$$

x	$2x$	$+3$	
x	$2x^2$	$+3x$	
-1	$-2x$	-3	

$$= 2x^2 + x - 3$$

$$(2x^2 + x - 3)(x + 2)$$

x	$2x^2$	$+x$	-3	
x	$2x^3$	$+x^2$	$-3x$	
$+2$	$+4x^2$	$+2x$	-6	

$$= 2x^3 + 5x^2 - x - 6$$

(Total for Question 13 is 3 marks)



- 14 There are 15 dogs in a dog show.
One dog is awarded first prize.
A different dog is awarded second prize.

There are 12 cats in a cat show.
One cat is awarded first prize.
A different cat is awarded second prize.

Work out how many different ways these four prizes can be awarded.

Dogs

$$15 \times 14 = 210$$

Cats

$$12 \times 11 = 132$$

$$210 \times 132 = 27,720$$

27,720

(Total for Question 14 is 3 marks)



15 (a) On the grid, show by shading, the region that satisfies all of these inequalities.

$$x + y < 5 \quad y > 1 \quad x > 2 \quad y < 3x - 2$$


$<$ $>$ ---
 \leq \geq —

Label the region R.

x	-2	0	2
y	7	5	3

x	-2	0	2
y	-8	-2	4

$(0, 2)$
 $3(0) - 2 = -2$
 $-2 < 2$
 $2 > -2$



(4)

Ron says,

“I can remove one of the four inequalities from the grid so that the region R will not change.”

Ron is correct.

(b) Which inequality can be removed so that the region R will not change?


$y < 3x - 2$

(1)

(Total for Question 15 is 5 marks)



17 Here is a sketch of part of the graph of $y = k^x$ where k is a positive constant.



The graph passes through the point with coordinates $(-1, 1.5)$

Find the value of k .

$$x \quad y \quad x = -1 \quad y = 1.5$$

$$y = k^x$$

$$1.5 = k^{-1}$$

$$1.5 = \frac{1}{k}$$

$$k = \frac{1}{1.5}$$

$$= \frac{2}{3} \quad k = \frac{2}{3}$$

(Total for Question 17 is 2 marks)



- 18 At the start of year n , the population of deer in a park is D_n
At the start of the following year, the population of the deer is D_{n+1}

$$D_{n+1} = K D_n \quad \text{where } K \text{ is a constant.}$$

At the start of 2019, the population of the deer was 2000

At the start of 2020, the population of the deer was 2400

Show that, at the start of 2022, the population of the deer was greater than 3000

$$D_{2020} = K D_{2019}$$

$$2400 = K(2000)$$

$$\div 2000 \qquad \div 2000$$

$$K = 1.2$$

$$D_{n+1} = 1.2 D_n$$

$$D_{2021} = 1.2 D_{2020}$$

$$= 1.2(2400)$$

$$= 2880$$

$$D_{2022} = 1.2 D_{2021}$$


$$= 1.2(2880)$$

$$= 3456$$

$$3456 > 3000$$

(Total for Question 18 is 3 marks)


19 $ABCDEFGH$ is a cuboid.



Angle $GEF = 52^\circ$
 Angle $BHG = 27^\circ$
 $EF = 15 \text{ cm}$

S O H C A H T O A

Work out the size of angle GEB .
 Give your answer to the nearest degree.




$$\tan \theta = \frac{O}{A}$$

$$\tan(27) = \frac{BG}{15}$$

$$15 \tan(27) = BG$$

$$BG = 7.642881742 \text{ cm}$$




$$\cos \theta = \frac{A}{H}$$

$$\cos(52) = \frac{15}{GE}$$

$$GE = \frac{15}{\cos(52)}$$

$$= 24.36403868 \text{ cm}$$



$$\tan \theta = \frac{O}{A}$$

$$\tan(GEB) = \frac{7.64...}{24.36...}$$

$$GEB = \tan^{-1}\left(\frac{7.64...}{24.36...}\right)$$

$$= 17.41639026^\circ$$

17 °


(Total for Question 19 is 4 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA





In the diagram

A is the point $(0, 8)$

B is the point $(16, 0)$

The point D divides the line segment AB in the ratio $1:3$

The line L passes through D .

The gradient of L is $\sqrt{3}$

L passes through the point with coordinates $(-2, f)$

Show that $f < -4$

$$y = mx + c \quad m = \sqrt{3} \quad \begin{matrix} (4, 6) \\ x \quad y \end{matrix}$$

$$6 = \sqrt{3}(4) + c$$

$$6 = 4\sqrt{3} + c$$

$$-4\sqrt{3} \quad -4\sqrt{3}$$

$$c = 6 - 4\sqrt{3}$$

$$\therefore L \quad y = \sqrt{3}x + 6 - 4\sqrt{3}$$

$$\begin{matrix} (-2, f) \\ x \quad y \end{matrix}$$

$$f = \sqrt{3}(-2) + 6 - 4\sqrt{3}$$

$$= -2\sqrt{3} + 6 - 4\sqrt{3}$$

$$= -6\sqrt{3} + 6$$

$$= -4.392304845$$

$$\therefore f < -4$$

(Total for Question 20 is 5 marks)

21 Solve $(3x - 1)(5x + 2) < 0$

$$(3x - 1)(5x + 2) = 0$$

$$3x - 1 = 0$$
$$+1 \quad +1$$


$$3x = 1$$
$$\div 3 \quad \div 3$$

$$x = \frac{1}{3}$$

$$5x + 2 = 0$$
$$-2 \quad -2$$

$$5x = -2$$
$$\div 5 \quad \div 5$$

$$x = -\frac{2}{5}$$



$$-\frac{2}{5} < x < \frac{1}{3}$$

(Total for Question 21 is 2 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA

$$x^2 + y^2 = r^2$$


22 The equation of circle A is $x^2 + y^2 = 25$ centre $(0, 0)$ radius $= \sqrt{25} = 5$

Circle A is translated by the vector $\begin{pmatrix} 0 \\ -2 \end{pmatrix}$ to give circle B. $\begin{pmatrix} 0 \\ -2 \end{pmatrix}$ 2 down

Sketch circle B.

Show the coordinates of


the centre of circle B $(0, -2)$
and the points where circle B meets the y-axis. $(0, 3)$ and $(0, -7)$



(Total for Question 22 is 3 marks)



23 $ABCD$ is a quadrilateral.





Find the size of angle ABC .

Give your answer correct to the nearest degree.

Cosine rule $a^2 = b^2 + c^2 - 2bc \cos A$

$$\begin{aligned} DB^2 &= 12^2 + 9^2 - 2 \times 12 \times 9 \times \cos(60) \\ &= 117 \\ \sqrt{\quad} \quad \sqrt{\quad} \\ DB &= 3\sqrt{13} \\ &= 10.81665383 \text{ cm} \end{aligned}$$




Sine rule $= \frac{\sin A}{a} = \frac{\sin B}{b}$

$$\frac{\sin DBC}{9} \neq \frac{\sin 60}{3\sqrt{13}}$$

$$3\sqrt{13} \sin DBC = 9 \sin 60$$

$$\sin DBC = \frac{9 \sin 60}{3\sqrt{13}}$$

$$\begin{aligned} DBC &= \sin^{-1}\left(\frac{9 \sin 60}{3\sqrt{13}}\right) \\ &= 46.10211375^\circ \end{aligned}$$



$$\frac{\sin ABD}{6} \neq \frac{\sin 125}{3\sqrt{13}}$$

$$3\sqrt{13} \sin ABD = 6 \sin 125$$

$$\sin ABD = \frac{6 \sin 125}{3\sqrt{13}}$$

$$ABD = \sin^{-1}\left(\frac{6 \sin 125}{3\sqrt{13}}\right) = 27.02529383^\circ$$

$$46.102... + 27.02... = 73.127... \approx \underline{\underline{73}}$$

(Total for Question 23 is 5 marks)

TOTAL FOR PAPER IS 80 MARKS



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Mathvault.io Solutions

BLANK PAGE



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Mathvault.io Solutions

BLANK PAGE

